



Specifications Philips LED Waterproof Batten CoreLine WT120C G2 45W 6000lm - 840 Cool White | 150cm - Dali Dimmable



[View Product](#)

## General Information

|                      |                                |
|----------------------|--------------------------------|
| SKU                  | 220786                         |
| EAN                  | 8718696883105                  |
| Manufacturer Code    | 88310500                       |
| Brand                | Philips                        |
| Manufacturer Name    | WT120C G2 LED60S/840 PSD L1500 |
| Budgetlight warranty | 5 Years                        |
| Average Lifetime (h) | 50000                          |
| D-Mark               | Yes                            |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x58            |
| Wattage                     | 45W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Dimmable        |
| Colour of Light             | White           |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Light Colour Options        | Single Color    |

|                       |                       |
|-----------------------|-----------------------|
| Luminous Flux (Lumen) | 6000lm                |
| Lumen per watt        | 133.3                 |
| Powerfactor           | >0.90                 |
| Including bulb        | Yes                   |
| Suitable for Outdoor  | Yes                   |
| Length                | 150cm                 |
| Type product          | LED Waterproof Batten |

## Fixture Information

---

|                        |                                         |
|------------------------|-----------------------------------------|
| EOC8                   | 88310500                                |
| Mounting Method        | Surface                                 |
| Fixture Connection     | PIP [Push-in connector and pull relief] |
| Optische Afdekking     | PC (Polycarbonate)                      |
| IP-rating              | IP65                                    |
| Impact Protection (IK) | IK08 - 5 joules                         |
| Bedrijfstemperatuur    | -20 to +35                              |
| Colour of the Fixture  | Grey                                    |
| Colour of material     | Grey                                    |
| Emergency Lighting     | No                                      |
| Product Serie          | WT120C                                  |

## Dimensions

---

|             |      |
|-------------|------|
| Length (mm) | 1515 |
| Width (mm)  | 76   |
| Height (mm) | 80   |

## Sensor Information

---

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**