



Specifications Multipack 15x Noxion LED Downlight Apollo 20W 2300lm 60D - 830 Warm White | 220mm - Cutout 200mm - Alu Reflector - UGR <19

[View Product](#)

## General Information

|                      |                                                                                                     |
|----------------------|-----------------------------------------------------------------------------------------------------|
| SKU                  | 248649                                                                                              |
| EAN                  | 8719157048088                                                                                       |
| Manufacturer Code    | 8719157048088                                                                                       |
| Brand                | Noxion                                                                                              |
| Manufacturer Name    | Multipack 15x Noxion LED Downlight Apollo 20W 2300LM 3000K Cutout Ø200mm Frame Ø220mm Alu Reflector |
| Budgetlight warranty | 6 Years                                                                                             |
| Average Lifetime (h) | 60000                                                                                               |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Emergency Lighting          | No              |
| Tiltable                    | No              |
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 45              |
| Wattage                     | 20W             |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 830 Warm White  |
| Colour temperature (Kelvin) | 3000 Warm White |
| Colour Rendering (Ra)       | 80-89           |

|                       |                    |
|-----------------------|--------------------|
| Colour of Light       | White              |
| Light Colour Options  | Single Color       |
| Including bulb        | Yes                |
| Beam Angle (degree)   | 60                 |
| Luminous Flux (Lumen) | 2500lm             |
| Lumen per watt        | 125                |
| Powerfactor           | >0.90              |
| Unified Glare Rating  | < 19 - For offices |
| Optische Afdekking    | PC (Polycarbonate) |
| Afwerking Reflector   | Aluminium          |
| Type product          | LED Downlight      |

## Fixture Information

|                        |                   |
|------------------------|-------------------|
| Mounting Method        | Recessed          |
| Cut out (mm)           | 200               |
| IP-rating              | IP20              |
| Impact Protection (IK) | IK03 - 0.35 joule |
| Bedrijfstemperatuur    | -20 to +40        |
| Housing                | Aluminium         |
| Colour of the Fixture  | White             |
| Colour of material     | White             |
| Product Serie          | Apollo            |

## Dimensions

|               |     |
|---------------|-----|
| Height (mm)   | 141 |
| Diameter (mm) | 220 |

## Sensor Information

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**